


## EL1904 EtherCAT 4 Channel Beckhoff Digital Input Module High Speed

Our Product Introduction

### Basic Information

- Place of Origin: GERMANY
- Brand Name: BECKHOFF
- Certification: CO
- Model Number: EL1904
- Minimum Order Quantity: 1pc
- Packaging Details: BRAND NEW WITH FACTORY PACKAGE
- Delivery Time: 2-3 days
- Payment Terms: T/T
- Supply Ability: 100PCS PER WEEK



### Product Specification

- PART NO.: EL1904
- Weight: 0.2 KG
- Actual Price: Negotiable
- Condition: New Original With Sealed
- Application: Oil And Gas Factory
- Color: Normal
- Highlight: **EL1904 beckhoff digital input module, 4 Channel beckhoff digital input module**

for more products please visit us on [xiatongautomation.com](http://xiatongautomation.com)

## Product Description

BECKHOFF EL1904 EtherCAT 4-Channel Digital Input Module

### Description

|                     |                                                               |
|---------------------|---------------------------------------------------------------|
| Model               | EL1904                                                        |
| Brand/Manufacturer  | Beckhoff                                                      |
| DataSheet/Catalogue | In PDF File                                                   |
| Weight/Dimension    | 12 mm x 100 mm x 68 mm                                        |
| Condition           | Brand new                                                     |
| Description         | EtherCAT Terminal, 4-channel digital input, 24 V DC, TwinSAFE |

### Technical Data

The EL1904 TwinSAFE component is a digital input terminal for sensors with potential-free contacts for 24 V DC. It has four fail-safe inputs. The signals are transmitted via FSoE to a TwinSAFE Logic-capable component and can be used there to evaluate them in terms of safety.

The EL1904 has safety parameters to adapt the functionality specifically to the respective safety-oriented requirements (e.g., 1-channel evaluation vs. 2-channel evaluation, testing of the individual channels).

The safety parameters are not stored directly on the component, but are transmitted to the input terminal via a TwinSAFE Logic-capable component when the safety application is started. This simplifies service procedures, because the component can simply be replaced. The safety-relevant parameters are transferred to the new component when the safety application is restarted.

Special features:

4 safe inputs

cross-circuit detection

1-channel vs. 2-channel evaluation directly on the component

testing of the channels can be activated individually

### Company Information

**Wuhan Sean Automation Equipment Co.,Ltd**

ADD: Building 2, Fanhai International SOHO , Huaihai Road, Jiangnan District, Wuhan,China.

**Main manage distributed :**

- ◆Control system (DCS)
- ◆Programmable controller (PLC)
- ◆Vibration system monitoring card (ESD) system card
- ◆TSI Vibration Monitoring System
- ◆Steam turbine control system module
- ◆Gas generator spare parts



### Mainly Products

◆PLC:

- 1) ControlLogix 1756 series controller
- 2) CompactLogix 1769 series controller
- 3) SLC-500 1747 1746 Series Controller
- 4) PLC-5 1771 1785 series controller
- 5) FlexLogix 1794 series modules
- 6) ProSoft :MVI69/PS69/MVI56/MVI94/MVI71/MVI46/3150

◆ABB DCS:

- 1) AC800M series controller I/O module
  - 2) AC800F series controller module
  - 3) AC31 series controller module
  - 4) 800xA series modules
  - 5) Bailey INFI 90 module
  - 6) DSQC robot module spare parts
  - 7) Advant OCS system spare parts
- ◆**Bently Nevada:**Bently 3500 System Card
- ◆**General Electric:**IC693,IC695,IC697,IC698,IS200,IC200 series
- ◆**Siemens (Siemens):**
- 1) Siemens MOORE
  - 2) Siemens S5
  - 3) Siemens S7 200series,300series,400series,ET200SP series,S7-1200 series,S7-1500 series so on.
- ◆**Rexroth Indramat:**I/O module, PLC controller, drive module



### Packaging & Shipping

- 1)All quote are basic on EX-WORK
- 2)Delivery time: 3-5 days after payment
- 3)Delivery term via DHL/TNT/UPS/EMS/Fedex.
- 4)Packaging Details:original packing factory sealed



### Hot sale products

|               |                 |        |
|---------------|-----------------|--------|
| 2711-K5A5L11P | SST-PFB3-VME-1  | EL1859 |
| 2711-K5A5L1   | SST-SR4-CLX-RLL | EL1819 |

|                  |                 |                |
|------------------|-----------------|----------------|
| 2711P-RDB10C     | EL3068          | EL2809         |
| 2711P-T4W21D8S   | EL4004          | FCP270 P0917YZ |
| 2711P-B12C4D2    | EL1904          | FCP280 RH924YA |
| 2711-K6C8        | MVI69-MNET      | FBM222 P0926TL |
| 2711-T6C20L1     | MVI46-PDPS      | EL6080         |
| 2711P-T6M20D     | MVI46-MNET      | FBM237 RH914XS |
| 2711P-T6C20D8    | MVI56-MNET      | FBM202 RH926EQ |
| 2711P-T6C20A8    | PTQ-PDPMV1      | FBM206 P0916CQ |
| 2711P-T12W22D9PK | PLX32-EIP-MBTCP | FBM242 RH916TA |
| 2711P-B15C22D9P  | 2711P-T10C21D8S | FCM2F2 RH914YZ |
| 2711P-RDK10C     | 2711P-T6C21D8S  | FCM10E P0914YM |
| 2711P-T15C4D8    | 2711P-T10C4D8   | FBM214 P0922VT |
| 2711P-T10C15D2   | AN-X2-AB-DHRIO  | FBM242 P0916TA |
| 2711-B5A2        | 2711-T5A16L1    | P0926GH        |
| 2711-K5A16L1     | 2711T-B10R1K1   | P0916AL        |
| 2711P-T10C6D1    | MVI69E-MBS      | P0926KH        |
| 2711P-T12C4D9    | MVI69E-MCM      | P0914YZ        |
| 2711P-T10C4A9    | 2711P-B7C4D8    | RH926JM        |
| P0928JH          | P0922YU         | P0926HW        |
| P0926KM          | RH924WA         | FBM232 P0926GW |
| P0922YC          | RH924UQ         | RH924YA        |



**Wuhan Sean Automation Equipment Co.,Ltd**



+8615377040647



tony@seanautomation.com



xiatongautomation.com

Fanhai International SOHO , Huaihai Road, Jiangnan District, Wuhan 430023.